



Protecting your walls and  
patients never looked better

# catalogue **Index**

## Wall protection sheets

> CS Acrovyn<sup>®</sup> Sheets

> CS Acrovyn<sup>®</sup> Bactericide

> CS Acrovyn by Design<sup>®</sup>

> Door protection

## Wall protection profiles

> Crash rails

> Combined Handrails - Crash rails

> Handrails

> Corner guards

> Supertrak<sup>®</sup> Plus



PAGE

10

2 MM TEXTURED  
ACROVYN® SHEET AND  
1,5 MM ACROVYN® 4000

12

2 MM SMOOTH  
ACROVYN® SHEET

14

0,8 MM TEXTURED  
ACROVYN® SHEET

16

2 MM ACROVYN®  
FAUX WOOD AND  
METAL

18

STAINLESS STEEL  
304L SHEET 10/10

PAGE

26

CS ACROVYN®  
BACTERICIDE

PAGE

32

CS ACROVYN®  
BY DESIGN®

PAGE

36

DOOR PROTECTION

PAGE

42

CRASH RAILS

PAGE

56

COMBINED HAND-  
RAILS-CRASH RAILS

PAGE

62

HANDRAILS

PAGE


72

CORNER GUARDS

PAGE

82

CURTAIN TRACKS



# With CS Acrovyn® you always **win**

Gambling with wall protection can be a risky and costly business.

Only Acrovyn® wall protection is a safe bet for health and sanitary environments as it comes packed with unique features only a market leader can offer.

Acrovyn® is the strongest wall protection money can buy and also the only one that actively kills bacteria or is manufactured without PVC.

But there is much more. When it comes to wall protection, with Acrovyn® you place your bets on the winning horse. Discover on the following pages why.



WALL, CORNER AND DOOR PROTECTION






## Greener and stronger

Acrovyn® 4000 is the first and only wall protection sheet manufactured without PVC, PBTs nor halogens. You won't find a stronger nor more environmentally friendly wall protection material on the market.




## B-s2,d-0 certified

Fire regulations consider M1 insufficient for many hospital areas and require a B-s2, d0 certification instead. Acrovyn® is non-flammable and fully B-s2, d0 certified.



## Truly Bactericide

Acrovyn® Bactericide is the only wall protection to completely eliminate common hospital bacteria such as *E. Coli*, *S. Aureus* and *M. Smegmatis*. A true breakthrough in the fight against nosocomial infections.



## CE labelled

For complete building product transparency and traceability, all Acrovyn® products are CE labelled, disclosing their properties and what they are made of. All our test certifications are available on request.

CE	
CS France 135, rue Edouard I <sup>er</sup> - BP66 F-27120 PACY-SUR-EURE	
High impact wall coverings	
Fire rating	B-s2,d0
Release of formaldehyde	Applied on a gypsum board with a conventional acrylic water based adhesive Complies with the criteria of 95 mg/kg
Release of other dangerous organic substances such as:	
Heavy metals and specific elements	Complies with the criteria
Vinyl chloride monomer (VCM)	Complies with the criteria
Acoustic absorption	No determined performance
Thermal resistance	No determined performance
EN 15102:2007+A1:2011	




## 51 colours and textures

No matter what ambience you are looking to create, with a selection of 51 colours and textures finding the right colour combination is now just a question of choice: your choice.



## CS Acrovyn by Design®

Acrovyn by Design® is a game-changing novelty embedding high quality digital print in tough as nails Acrovyn® sheet. It combines unprecedented visual possibilities with heavy duty protection for both walls and image.



# Acrovyn® 4000



## Unbeatable protection for your walls, gentle for the environment



The best wall protection on the market just got better still. Impact tests had already proven that classic Acrovyn® was the strongest wall protection material on the market. Now, Acrovyn® 4000 reduces its weight by 25% while maintaining the same unbeatable strength.

But resistance is only part of the story. Once again, CS takes the lead with Acrovyn® 4000 as the first wall protection sheet in the world being manufactured without PVC, PBTs, BPAs or halogens.



Acrovyn® Colours



100% Bacteriostatic



B-s2,d0 fire rated



PVC-free



Heavy duty



3,000 x 1,300 x 1,5 mm

# Environmentally friendly and stronger than ever before



## 25% lower carbon footprint


> As Acrovyn® 4000 is lighter and thinner, it requires less energy for manufacturing and transport and lowers its carbon footprint by an impressive 25%.



## Thinner, stronger and with a new texture

> Even though Acrovyn® 4000 is 0,5 mm thinner than classic Acrovyn® it doesn't compromise on strength, becoming the lightest but most resistant wall protection on the market.

And it looks great, too. Acrovyn® 4000 comes with the brand new *Suede* texture: finely grained with a non-glossy and very contemporary appearance.





# 51 **colours** and finishes for infinite combinations

**CS Acrovyn® expands its collection with 26 new colours and new finishes to offer the market's most extensive colour range in wall protection.**

Legendary Acrovyn® now provides designers and architects with an almost unbelievable array of colour combinations which can blend with or accent even the hottest design concepts.

With 51 colours and finishes to choose from finding just the right colour scheme is now a question of ***your choice.***



**40 standard Acrovyn® Colours**  
available with our standard or new suede texture.



**8 Acrovyn® Faux Wood finishes**  
including Wengue and four brand-new and contemporary oak styles.



**3 Acrovyn® Faux Metal finishes**  
with the captivating looks of real metal but all the properties of Acrovyn®.



**Combine freely: all products are available in all colours**

> Need your handrail in the same colour as the crash rail and door protection?

Not a problem with Acrovyn®. No need to consult complicated product-colour tables. **All our products are available in all standard colours.** Only with Acrovyn® it is this simple.



## **New Suede texture**

> We proudly present Suede: new, stylish, contemporary, with a **non-glossy appearance and reduced surface texture.** All our wall protection sheets are available in either our standard or the new Suede texture (Acrovyn® 4000).





# What is your favourite **combination?**

Colour schemes influence the mood and behaviour of building inhabitants and are the reason why designers put such great emphasis on colour.

No matter what ambience you are looking for, finding the right colour combination with Acrovyn® is now just a question of choice: your choice.

## Warm, soothing colours inspired by nature



> For warm, comfortable and pleasant living room ambiances **CS** recommends its new colour range inspired by nature.

Soft, low contrast colours create peaceful environments where well-being and aesthetics are primary considerations.

## Dynamic, mood-lifting colour combinations

> Dynamic and saturated colours create friendly, mood-lifting atmospheres.

They are also ideal for setting visual differences between floor levels and for colour guidance schemes in large buildings.



## Stylish, cool and elegant



> Wall protection can be extremely stylish. Combos of light and dark colours and our exciting metallic finishes can blend with or accent even the most urbane and fashionable environments.



### Perfect colour match, guaranteed

> We went to great lengths to ensure you find the perfect colour match. We consulted hundreds of designers and harmonised our new range with products from leading floor, door and wall decoration manufacturers.



- 1 | Acrovyn® door handle protection plate
- 2 | Acrovyn® kick plate
- 3 | Half height, 2mm Acrovyn® wall protection
- 4 | Acrovyn® SM20M corner guard
- 5 | Acrovyn® 0,8 mm flexible sheet

*suggested application*



### 51 colours for infinite combinations

> No matter what atmosphere you are looking for, with a selection of 51 colours and textures finding the right colour combination is now just a question of choice: **your choice.**

2 MM THICKNESS

1,5 MM THICKNESS



### New suede texture

> New, stylish, contemporary, with a non-glossy appearance and reduced surface texture.

# Superior protection for your walls

## Legendary protection with more choice than ever

Acrovyn® is now available with an even greater choice: 51 stunning colours and finishes, our brand new suede texture and Acrovyn® 4000: unbeatable Acrovyn® protection without PVC, PBTs or halogens to satisfy even the most health conscious requirements.

2 AND 1,5 MM THICKNESS



40 standard  
Acrovyn® colours

2 MM THICKNESS




8 Faux Wood  
finishes

2 MM THICKNESS



3 Faux Metal  
finishes

All our wall protection sheets  
are optionally available with  
a round or 45° bevel cut.



### B-s2, d0 fire rating

> Acrovyn® is B-s2, d0 certified and can be used in many public buildings areas where the M1 fire rating of other wall cladding materials is insufficient.



### Green goes even greener: presenting Acrovyn® 4000

> Acrovyn® 4000 is manufactured in compliance with RoHS standards, without PVC, PBTs, BPAs or halogens and a 25% lower carbon footprint. You won't find any other wall protection material on the market as environmentally friendly.





- 1 | Full height, smooth Acrovyn® wall cladding
- 2 | Smooth Acrovyn® door protection
- 3 | Welded joints for maximum hygiene
- 4 | Half height, smooth Acrovyn® sheet

*suggested application*

### Available in 5 colours



### Certified cleaning effectiveness

> Smooth Acrovyn® sheets were certified by the renowned Louis Pasteur Institute for their bacteriostatic properties and ease of cleaning. Independently of the chosen cleaning products you will have the guarantee of a hygienic environment without bacterial growth vectors.





# For areas with stringent hygienic requirements

## Resists almost everything except easy cleaning

Acrovyn® smooth wall protection sheets have been developed for areas with stringent hygienic requirements which are subject to frequent cleaning procedures.

Engineered to resist the intense wear and tear of busy sites as well as hot steam cleaning, detergents and chemicals, its smooth, non-porous and bacteriostatic surface is so easy to clean that the renowned Louis Pasteur Institute certified its superb ease of cleaning.



4




### Chemical resistance

> Acrovyn® sheets resist commonly used acids, mineral and vegetable oils, detergents, saline solutions, alcohols, gasoline, aliphatic hydrocarbons and concentrated fatty acids.

Complete chemical resistance test reports are available upon request.

### Certified suitability for hot steam cleaning

> Acrovyn® wall protection sheets have also been certified by SaniVap to be suitable for hot steam cleaning procedures with 150° C hot steam at 5 bar pressure which ensures maximum hygiene.



### Ease of maintenance

> Thanks to its dyed through colours Acrovyn® never wears off no matter how often you clean it. Its smooth, non porous surface allows for easy cleaning with all of the most commonly available detergents.





1 | 0,8 mm Acrovyn® sheet

*suggested  
application*



### As strong as much thicker competitors

> **Test results prove it.** Acrovyn® 0,8 mm wall protection sheets were tested for impact resistance using the Gardner Impact Testing method which works by dropping a heavy object from various heights directly onto the tested material. Acrovyn® 0,8 mm sheets proved to be incredibly strong, equalling in strength its much thicker competitors.



### Meet our new collection

> **40 beautiful standard colours.** Meet our new collection which includes no less than 21 new references, expanding our solid colour range to 40 contemporary colours.



# 0,8 mm CS Acrovyn® sheet is flexible but incredibly strong

## There are many good reasons for protecting walls and columns

There are also many good reasons why you should only be considering Acrovyn®.

For one, because its 40 stunning colours simply look great. Secondly, because it is only 0,8 mm thick and neatly hugs columns and other curved or straight surfaces.

But most importantly, because it is incredibly strong. Impact resistance tests have shown that 0,8 mm Acrovyn® is in fact as resistant as other, much thicker wall protection products.



### Perfect colour match, guaranteed


> We harmonised our range of colours with the latest product releases from leading floor, door and wall decoration manufacturers to ensure **you always will find the perfect match.**





- 1 | Acrovyn® Faux Wood wall protection sheets
- 2 | Acrovyn by Design® wall cladding
- 3 | MCE 40/45 handrail
- 4 | Acrovyn® solid colour wall protection sheet

*suggested application*



### Fusion bonding for lasting results

> Our exclusive fusion bonding process ensures Acrovyn® Faux Wood patterns won't wear, scratch or peel off as they become completely integral with the Acrovyn® backing material.



# Looks and feels like wood, protects like CS Acrovyn®

## Wood textures for warm and comfortable environments

Inspired by nature itself, CS has created an exclusive range of contemporary wood textures for relaxing and peaceful environments where well-being and aesthetics are primary considerations, but hygiene and reliable wall protection also play an important role.



8 Faux Wood finishes



3 Faux Metal finishes



### > Impact resistance



### > Ease of cleaning



### > Fire rating



Acrovyn®  
Faux Wood



Laminated  
Panels



Real  
Wood

# 20x

20x more resistant than wood veneer

> Acrovyn® Faux Wood looks like real wood but is as a matter of fact **20 times more abrasion resistant than wood veneer** and much easier to clean and maintain. See *Taber Test* on page 37.



### Precision cutting for infinite design possibilities

> Our Stainless steel sheets can be cut to your custom specifications. No matter if you want it straight, with a stylish wave or semicircular shape, we can deliver a perfect cut thanks to the precision of our high pressure water jet cutting technique.





# 304 L food approved stainless steel sheets

## Superb quality for even the most demanding applications

After decades, stainless steel continues to be the wall protection solution of choice for its cool elegance, heavy duty resistance and superb hygienic properties.

Our 1 mm thick stainless steel sheets are manufactured from 304 L food industry approved stainless steel to comply with even the most demanding building norms and health regulations.



- 1 | Stainless steel wall protection sheet
- 2 | Stainless steel custom cut protection sheet for doors
- 3 | Stainless steel corner guard 50A

*suggested application*

> For more stainless steel wall protection please consult:

> **Corner Guards**



> **Crash rails**




### Factory applied adhesive

> **For effortless installations.** We can deliver all our Inox sheets with factory applied adhesive strips for clean and effortless installations.

> **Mounting instructions**



Beautiful **Acrovyn® Faux Wood panels** reliably protect walls and doors while harmonizing with the wood based interior design of this hospital ward.



↑ **Acrovyn® sheets** are incredibly strong and still flexible enough to adjust to curved walls.

An assembly of factory-cut | ➔ **colour Acrovyn® sheets** have been used for this cheerful wall protection.








An elegant and very effective wall protection has been achieved by combining 2 mm **Acrovyn®** sheet with **Inox wall protection**.



With 40 colours to choose from **Acrovyn® sheets** can blend discreetly into any interior design while efficiently protecting walls.





## Standard decorative wall protection shapes




## Thermoforming for wall applications


**Put bacteria at bay!** Joints in corners, columns and edges constitute breeding grounds for bacteria. Thermoformed Acrovyn<sup>®</sup> sheets eliminate these hazards by providing a continuous, one piece surface for these difficult to clean areas.




**Thermoforming L Type**  
1 Fold from 45° to 179°




**Thermoforming U Type**  
2 Folds




1  
Welded joints between sheets




2  
Pillar protection



3  
Joints between external and internal angles



4  
Thermoformed internal corners





5  
Heat-sealed joint with flexible flooring

# CUSTOM DESIGNS, COLLAGE, SHAPES AND SIGNPOSTING




**Custom designs**, collage, shapes and signposting:





## Create your own designs!

Thanks to our advanced computer cutting technology we can manufacture any design. You can choose a standard pattern from our catalogue or **create your own design and simply supply it to us in .dxf format.**

For help with creating your custom designs please contact our Customer Service Team.



## Finishing accessories for wall protection sheets



## Factory applied adhesive

**Perfect results in minutes.** Ready-to-install wall protection sheets of your choice, delivered right to your door: factory cut to the required size and pre-fitted with adhesive strips for immediate and effortless installations.



**Tidy and clean applications,** no cleaning up needed.




**Effortless installations,** no specialist personnel needed.



**Fast installations,** perfect results in minutes.



Remove the protection from the factory applied adhesive strips ►►



Put the wall protection sheet in position and press against the wall ►►



Done! A perfect result in less than 5 minutes. ■





## UNIDUR N Primer

Coverage : 0,1 kg/m<sup>2</sup>




## Glue SADER TAC V6 Confort

Easy and odourless gluing  
Coverage : 0,25 kg/m<sup>2</sup>




## Glue CS4000

Water based adhesive  
3 pouches of 7 kg  
Coverage : 0,085 to 0,3 kg/m<sup>2</sup>



## Spreader n°1- A2

one spatula per 150 m<sup>2</sup>



## Dry contact adhesive 85

Rolls, 50 m length



## OTTOCOLL TopFix

300 ml cartridge, ideal for absorbent surfaces  
1 cartridge/m<sup>2</sup>



## Drum cartridge gun

Complete kit with 2 drums



## Glue MSP 108

300 ml cartridge, ideal for wet environments and non-absorbent surfaces. 1 cartridge/m<sup>2</sup>



## Durospray DS 525 SRM

17,25 kg (22l), applied with spray gun.  
Average consumption 150 g/m<sup>2</sup>, suitable for humid environments



## Spray gun Durospray

Spray gun kit with 4 m hose




## Pressure roller

with grip



## Paint remover AGS 560

500 ml Spray



## Welding equipment

Complete kit



## Welding rod

- For sheet thickness of 2 mm
- Roll 100 m length
- 40 Acrovyn® colours available




## Craft knife

for Acrovyn® sheets



## Coloured silicone

- 300 ml Cartridge
- 40 colours available
- 1 cartridge/20 lm



“An authentic breakthrough in the fight against microbial infections.”



# The only bactericidal wall protection system on the market


## Don't give bacteria a chance!

Nosocomial infections are a serious concern of any health sector establishment. To help combat this threat CS France has developed Acrovyn® Bactericide, a novel material that pro-actively kills bacteria through surface contact alone.



Acrovyn® Bactericide is the only wall cladding material and handrail on the market certified with the ISO norm 22196 and the ideal solution for areas where hygiene cannot be compromised.

CS ACROVYN® BACTERICIDE



### Killing bacteria by "touch"

> All bacteria settled on the surface of Acrovyn® Bactericide are killed within a maximum time span of 24 hours. This bactericide effect is completely safe to humans but relentless on bacteria, guaranteeing unsurpassed hygienic conditions.



Wall cladding material	Bacterial activity
Stone - granite - marble	inactive
Ceramic tiles	inactive
Vinyl covering	inactive
Stainless steel	very little active
Fibre glass	inactive
Laminated panels	very little active
Wood	inactive
Competitors	bacteriostatic
<b>Acrovyn® Bactericide</b>	<b>bactericide</b>

### Impact of nosocomial infections

[...]Nosocomial infections are also one of the leading causes of death (5). The economic costs are considerable (6,7). The increased length of stay for infected patients is the greatest contributor to cost (8,9,10)[...]

SOURCE: WORLD HEALTH ORGANISATION




# They may look similar...

## ALIVE

bacteria remain alive

On non-bactericide surfaces bacteria might not find ideal living conditions but do not get actively killed. Surviving bacteria continue to constitute a serious infection risk.



Ordinary wall protection sheet

## Don't get confused by terminology...

.....100% *hygienic*...

Being hygienic doesn't imply any proven action on bacteria, nor is the term measurable or quantifiable by any scientific parameters.

• NOT •  
BACTERICIDE

.....*antibacterial*...


The term is commonly defined by "destroying or inhibiting the growth of bacteria" but there is no scientific criteria to measure this quality.

• NOT •  
BACTERICIDE

.....*bacteriostatic*...

Biocide norm EN 1040 describes this term only as a reduction of the bacterial population implying clearly that there are survivors.

• NOT •  
BACTERICIDE



**100%**  
of bacteria killed

**Acrovyn® Bactericide** kills all bacteria through surface contact leaving no survivors. Its surface is 100% bacteria free.

**CS Acrovyn® Bactericide**

...but they are **NOT** the same.


...**bactericide** has only one meaning:

.....bactericide...

A plastic surface can only be called bactericide if 100% of all bacteria are eliminated, i.e. there are no living survivors. This is determined by the ISO 22196 test procedure and quantified by the Biocide product norm EN 1040.

**Acrovyn® Bactericide is the only truly bactericide wall protection on the market.**

...**5 logarithms reduction of the bacterial activity was also excellent (bactericidal) against tubercular bacterium.**... activities against important bacteria...



**ISO**  
22196



**EN**  
1040



## The only wall protection on the market that has been tested AND certified with bactericidal properties

### Bacterial inhibition compared to inactive materials

\*The bactericidal activity is called bactericide when the inhibition is at least  $10^5$  (> 99.999%) with respect to an inactive control.



All bacteria settled on Acrovyn® Bactericide's surface are killed within a 24 hour time span.



Nosoco.Tech, a renowned research institution of antimicrobial surface properties, tested and certified Acrovyn® Bactericide.



## Tested on 7 of the most common hospital and food bacteria

### Escherichia Coli



Activity in log: 5,4 log  
Inhibition: 100%  
Survival: 0%  
Classification: **Bactericidal**

### Staphylococcus aureus




Activity in log: 5,1 log  
Inhibition: 100%  
Survival: 0%  
Classification: **Bactericidal**

### Mycobacterium smegmatis




Activity in log: >5 log  
Inhibition: 100%  
Survival: 0%  
Classification: **Bactericidal**

### SARM




Activity in log: 3,92 log  
Inhibition: 99,99%  
Survival: 0,01%  
Classification: **Bacteriostatic**

### Salmonella Enteridis




Activity in log: 4,1 log  
Inhibition: 99,99%  
Survival: 0,01%  
Classification: **Bacteriostatic**

### Listeria monocytogenes



Activity in log: 2,661 log  
Inhibition: 99,5%  
Survival: 0,5%  
Classification: **Bacteriostatic**

### Enterococcus sp.



Activity in log: 2,28 log  
Inhibition: 99,5%  
Survival: 0,5%  
Classification: **Bacteriostatic**

### Interpretation of ISO 22196 test results

The norm ISO 22196 describes a standard method for measuring the bactericidal properties of plastic surfaces but does not offer any interpretation of the results.

Biocide product norms such as EN 1040 can be used to interpret the bactericidal activity determined by ISO 22196:

**bactericide:** 5 or higher  
**bacteriostatic:** between 5 and 1  
**inactive:** lower than 1





← | Full height **Acrovyn®**  
**Bactericide wall cladding**  
in an operating theatre.

↓ | Half height **Acrovyn®**  
**Bactericide wall**  
**protection sheets** in a  
hospital ward.



Half height **Acrovyn®** | →  
**Bactericide wall**  
**protection sheets** on a  
curved hospital corridor.

Half height **Acrovyn®** | ↓  
**Bactericide wall**  
**protection sheets** in a  
surgery room.





- 1 | Acrovyn by Design® wall protection sheet
- 2 | Acrovyn® door kick and push plate
- 3 | Full height, Acrovyn by Design® wall cladding
- 4 | Acrovyn® hand/crash rail HRB35

*suggested application*

### Superior wall protection with unlimited visual possibilities

> **Acrovyn by Design® can also be a great visual communicator.** Adding your company logo, branding graphics, directory or wayfinding signs into your wall protection will personalise your environment in a fresh and groundbreaking way.

### WAYFINDING





# Tough as nails CS Acrovyn® meets digital print

## Stunning graphics made to last

Colours and images are known to help improve patient healing. However, traditional graphics imagery will not withstand the wear and tear of busy facilities resulting in constant damage and replacement.

Acrovyn by Design® is a game-changing novelty affording unlimited visual possibilities, while protecting both graphics and wall reliably.

Acrovyn by Design® is manufactured by embedding high resolution digital print into tough as nails Acrovyn® creating stunning wall imagery that is made to last.

CS ACROVYN BY DESIGN®



## BRANDING



## MESSAGING



## Great looks, gentle to nature

> Acrovyn by Design® is manufactured without PVC, PBIs, BPAs or halogens.



## CS Acrovyn by Design® looks great and saves you money, too

While ordinary wall imagery becomes easily damaged and requires frequent –and costly– replacements, Acrovyn by Design® will offer not only heavy duty protection to your walls but also preserve the image's brand new appearance for years to come.

### Acrovyn by Design® Technology

Acrovyn by Design® uses a clear, impact resistant sheet as its protective layer and cutting edge digital printing technology to deliver brilliant images.

1 mm transparent  
Acrovyn® 4000 protection layer

0,2 mm high resolution  
digital print layer

0,3 mm protective Acrovyn® backing



Scratch resistant



Easy to clean



Impact resistant



Chemical resistance

Designs that are great for walls can also be great for doors



| CHILDREN'S IMAGERY |



| WOOD TEXTURE |



| NATURE |



| ABSTRACT BACKGROUNDS |



| TEXTURE |



| PHOTOGRAPHY |



| SIGNAGE |



| COLOURS |



| BRANDING |



| STONE |

## How to order CS Acrovyn by Design®



### SPECIFYING ACROVYN BY DESIGN®

We will require the dimensions of the wall area and a basic design idea. We then can assist you with the implementation.



### ARTWORK CREATION

If you don't have the artwork but still want to benefit from Acrovyn by Design® we can buy the artwork or create a specific design for you.



### PANELLING

We panel the final artwork over one or several Acrovyn® sheets to ensure a perfect fit to your wall.



### PRINTING

Our high-resolution, large format printing hardware and colour management software ensure a perfect result and true colour accuracy.



### INSTALLATION

You will receive the panels ready to be installed with the adhesive solution of your choice.



← | **Acrovyn by Design**® bed locators protect the wall and add life and friendliness to this hospital room.

↓ | Full height **Acrovyn by Design**® sheets decorate and protect the wall of this children hospital ward.



↓ | Full height **Acrovyn by Design**® sheets protect this busy elevator area and add visual depth, with a soothing image of nature.



↑ | **Acrovyn by Design**® sheets protect the wall of this waiting area with refreshing style.






- 1 | Half moon push plate in 2 mm Acrovyn® sheet
- 2 | Half height door protection plate in 2 mm Acrovyn® sheet with custom cut
- 3 | TP 200 Rub rail

*suggested application*

### Unprotected doors can become expensive

**> Acrovyn® doors are much cheaper in the long run.** Acquisition is only part of the expenditure with maintenance and repair being a main contributor to total costs. Lifecycle studies compared the total costs of purchasing and maintaining different types of doors over a 10-year period, confirming the substantial saving benefits of Acrovyn® Doors.





# There are doors that better be CS Acrovyn® Doors


## CS Acrovyn® Doors look great where others fail

Wood veneer and high pressure laminate just can't handle the same abuse as durable Acrovyn®. Acrovyn® Doors have withstood abuse in tens of thousands of hospitals worldwide, saving money in maintenance and costly repairs.

But protection is only part of the story. Acrovyn® Doors are aesthetically pleasing, adding colour and style to your premises with infinite design possibilities.




DOOR PROTECTION



### Taber tests don't lie

> These tests, the industry standard for abrasion testing, prove that doors protected with Acrovyn® are much tougher than any other unprotected door, resisting daily abuse for much longer without wear and tear becoming apparent. Shown are actual test photos.



## CS Acrovyn<sup>®</sup> protected doors look great and stay looking great

After only six months of use most doors start showing the signs of wear and tear, eventually requiring costly repair or even replacement.

Acrovyn<sup>®</sup> door protection looks great and helps to maintain the brand new appearance of your doors for years to come.

Doors without protection



### APPEARANCE



Insufficiently protected doors rapidly lose their appearance showing scratches and other signs of deterioration.



### MAINTENANCE



Dents in the door face are very costly to repair and sometimes a complete door replacement is required.



### HYGIENE



Dents, scratches and cracks in door faces are ideal breeding grounds for bacteria as they can better hide from cleaning procedures.



## > Kick & push plates

Kick and push plates are ideal to protect door faces of swing doors and the areas around the door handle and lock of ordinary room doors.



02. Rainbow



03. Base



04. Horizon



01. Rainbow with strip

NEW



05. Skyline

NEW



06. Shell

NEW



07. Cup

NEW



08. Squares

NEW



09. Cascade



10. Quarter



11. Half moon



12. Personal custom designs

# Protect your doors with colour and style

## > Partial decorative door cladding (1 colour)

Doors suffer most damage and abuse on their lower part and around door handle and lock. Partial door cladding efficiently protects these areas and decorates at the same time.

NEW



01. Numbers



02. Prairie



03. Dune



04. Vague



05. Oasis

NEW



06. Quarter Flower

NEW



07. Cascade

NEW



08. Cloud

NEW



09. Men


NEW



10. Women



11. Canyon



12. Personal custom designs

## > Partial decorative door cladding (2 colours)

Duo-colour door cladding offers efficient protection and stylish decoration enhancing your interior designs.

NEW



01. Dolphin

NEW



02. Duo-colour half moon

NEW



03. Duo-colour cascade

NEW



04. Waves

NEW



05. Men

NEW



06. Women

NEW



07. Duo-colour squares

NEW



08. Square cross

NEW



09. Tree

NEW




10. Sun & Clouds

NEW



11. Stains



12. Personal custom designs



## Designed for doors that need to resist

Wood veneer and high pressure laminate just can't handle the same abuse as durable Acrovyn® nor offer its superb impact resistance. For this reason Acrovyn® has been chosen by tens of thousands of hospitals and schools worldwide.



Scratch resistant



Easy to clean



Impact resistant




Chemical resistance

### BASIC SHEET WITH U-PROFILES

Ideal for heavily abused doors.

Door edges are protected by thermoformed U-profiles while sheets with bevelled edges cover both door faces.

Door edges will have to be reduced by the thickness of the Acrovyn® sheet (2 mm)




### APPLICATION FOR WET AREAS

Especially designed for humid or wet environments.


A U-shaped panel protects one face and both door edges. An L-shaped panel protects the other face and the underside of the door.

To be used with glue MSP 108.




### BASIC PROTECTION

A straightforward, effective and easy to fit door protection. Ideal for retrofit applications.




### TWO THERMOFORMED PARTS IN L-SHAPE

A thorough door protection as its two L-shaped thermoformed plates protect the door faces and its edges.



### PROTECTION OF FRAMES

Acrovyn® sheets are cut to the exact dimensions of wooden or metal door frames and are then thermoformed in one piece to protect door rebates and frames.





↑ Straight half height **Acrovyn®** sheet in matching door colour.

→ Straight half height **Acrovyn®** sheet in contrasting colour.



↑ **Acrovyn by Design®** was used for the left door leaf and standard **Acrovyn®** sheet for the right.

↓ 2 mm and 0,8 mm **custom cut Acrovyn®** sheet make up this cheerful protection.



← Full height **Acrovyn®** door protection with cut out room number to reveal wooden door face.





- 1 | Aronde 170 Crash rail
- 2 | TP 150 Rub rail


*suggested  
application*

### A perfect crash rail for every need

> Our wide range of innovative crash rails offers a perfect wall protection solution for every need and location, keeping your premises in flawless conditions.




# Only the best wall protection is sometimes good enough




Only CS Acrovyn® crash rails absorb heavy blows without passing the force onto the wall

Behind the sleek and elegant lines of Acrovyn® crash rails you will find shock absorbers engineered with state of the art technology and top quality materials to provide heavy duty impact resistance where you most need it.



## The shock absorber difference


> Acrovyn® crash rails deform under impact immediately recovering its original shape. Their internal shock absorbers dissipate the impact energy along the length of the crash rail and away from fixtures, preventing them from loosening or breaking.



## Our unique Acrovyn® texture conceals scratches much better


> Acrovyn® is highly scratch resistant but if a scratch occurs our unique texture conceals it preserving its brand-new look.

Looks great from the **outside**...



Without shock absorbers, impact forces can be transferred onto the wall...


ORDINARY CRASH RAIL



ACROVYN® CRASH RAIL




A bumper cushion on top of an internal Acrovyn® shock absorber dissipates even violent impacts...



... but the **inside** offers even more

Acrovyn® crash rails are pure eye candy and have even more to offer under the cover. Unlike ordinary bumper guards, only Acrovyn®'s range of heavy duty crash rails have been engineered with internal shock absorbers to channel the force of violent impacts away from walls and fixtures to afford reliable and great looking protection for years to come.

... causing fixtures to loosen or break and eventually damage to the wall itself resulting in costly and time consuming repairs.



... transferring impact forces away from wall and fixtures, affording a long lasting and reliable protection to your premises.





← The extra-wide **rub rail TP300** protects the lower part of the walls. **Corner guards SSM20** and the **combined handrail crash rail HRB20** complete the wall protection scheme.



↑ **Crash rails SCR80 and SCR50** protect walls from hospital equipment.

← **SCR80 crash rails and TP200 rub rails** have been used in this hospital corridor for wall and door protection.





↑ | **SCR50 crash rails** mounted at low- and mid-height provide a discreet but very effective wall protection.

← | **Aronde 170 crash rail** mounted at mid-height. The decorative insert can also be used for colour guidance schemes.




← | The stylish curves of the **SCR80 crash rail** discreetly hug the wall while offering effective impact protection from hospital equipment.



### SCR80M | ACROVYN®

#### A stylishly curved profile with impressive impact protection

- Acrovyn® cover over a continuous aluminium retainer for extra resistance and heavy duty applications (SCR80M)
- An economic version with aluminium mounting brackets at 600 mm centres is also available (SCR80)
- Free-floating cover flexes on impact, neutralising the force
- An internal, continuous, shock-absorbing bumper profile provides top of the range impact protection



**4.000x203x35 mm**

#### CHARACTERISTICS



40  
Acrovyn  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated




M1  
Fire rated



SCR80M  
Heavy duty



SCR80  
Medium duty



#### ACCESSORIES


- Standard end cap
- External corner
- Decorative insert in black
- Splice plate

SPECIFICATION TEXTS [www.c-sgroup.eu/?p=384](http://www.c-sgroup.eu/?p=384)

### SCR80M | FAUX WOOD, BRUSHED METAL AND CARBON

#### Beautiful natural colours and textures, heavy duty impact protection

- Acrovyn® cover over a continuous aluminium retainer for extra resistance and heavy duty applications (SCR80M)
- An economic version with aluminium mounting brackets at 600 mm centres is also available (SCR80)
- Free-floating cover flexes on impact, neutralising the force
- An internal, continuous, shock-absorbing bumper profile provides top of the range impact protection



**4.000x203x35 mm**

#### CHARACTERISTICS



Faux brushed  
Metal



Faux  
Carbon



8  
Faux  
Wood



100%  
Bacteriostatic




M1  
Fire rated



SCR80M  
Heavy duty



SCR80  
Medium duty



#### ACCESSORIES

- Standard end cap
- External corner
- Decorative insert in grey
- Splice plate

SPECIFICATION TEXTS [www.c-sgroup.eu/?p=384](http://www.c-sgroup.eu/?p=384)





FOR MORE INFORMATION PLEASE SCAN:



SCR80 - SCR80M



SCR50 - SCR50M




FR225

## SCR50M | ACROVYN®

### Sleek and stylish appearance, heavy duty performance

- Acrovyn® cover over a continuous aluminium retainer rail for extra resistance and heavy duty applications (SCR50M)
- An economic version with aluminium mounting brackets at 600 mm centres is also available (SCR50)
- Free-floating cover flexes on impact, neutralising the force
- An internal, continuous, shock-absorbing bumper profile provides for top of the range impact protection



**4.000x127x27 mm**

#### ACCESSORIES

- Standard end cap with decorative insert in black
- External corner
- Splice plate

#### CHARACTERISTICS



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated




M1  
Fire rated



SCR50M  
Heavy duty



SCR50  
Medium duty



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=387](http://www.c-sgroup.eu/?p=387)

## FR225 | ACROVYN®

### A discreet and lightweight rub rail you can rely on

- Acrovyn® cover over continuous aluminium retainer
- Low profile crescent shape
- Free-floating design flexes on impact, neutralising the force



**4.000x57x19 mm**

#### ACCESSORIES

- Standard end cap with decorative insert in black
- External corner

#### CHARACTERISTICS



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated



M1  
Fire rated



Medium  
Duty




**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=388](http://www.c-sgroup.eu/?p=388)



### ARONDE170 | ACROVYN®

**Engineered for highly demanding applications but with design versatility in mind**

- Heavy duty version with continuous vinyl bumper rail and aluminium mounting brackets at 600 mm centres (Aronde170)
- Economic version, with aluminium mounting brackets at 600 mm centres only (Aronde170E)
- Flexible closing lips ensure a hygienic and sealed finish to the wall
- Decorative inserts allow for stylish colour combinations and guidance schemes




**4.000x170x35 mm**

#### CHARACTERISTICS

#### ACCESSORIES

- Standard end cap
- External corner
- Splice plate
- Decorative contrast insert in 40 colours




**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6867](http://www.c-sgroup.eu/?p=6867)

### TP100-150-200-300 | ACROVYN®

**Light duty rub rails maximise corridor space while offering reliable impact and scratch resistance**

- Available in four heights to suit project requirements
- Bull-nose edges mould profile to the wall
- Fast and effortless installation with factory applied adhesive strips (optional)





**4.000x100x3 mm**  
**4.000x150x3 mm**  
**4.000x200x3 mm**  
**4.000x300x3 mm**

#### CHARACTERISTICS

#### ACCESSORIES

- Preformed internal and external corners
- Optional adhesive strips



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=390](http://www.c-sgroup.eu/?p=390)



FOR MORE INFORMATION PLEASE SCAN:



ARONDE170 - 170E



TP100-150-200-300



BL 40/104



BL HRB4C/76-174

## BL 40/104 | ACROVYN®

### Stylish bed locator offering top of the range protection

- Round Acrovyn® cover over continuous aluminium tube
- Supplied with Acrovyn® end caps and stainless steel mounting brackets
- Supplied in pairs of 700 mm length for vertical mounting



**700x104x40 mm**

#### CHARACTERISTICS



40  
Acrovyn®  
Colours



Acrovyn®  
Bactericide





B-s2,d0  
Fire rated



M1  
Fire rated



Medium  
Duty



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=8515](http://www.c-sgroup.eu/?p=8515)

## BL HRB4C/76-174 | ACROVYN®

### Severe duty bed head protectors

- Acrovyn® cover over continuous aluminium retainer profile
- Internal shock absorbing bumper cushions for increased impact protection
- Supplied with Acrovyn® end caps and mounting brackets in Acrovyn® (74 mm) or stainless steel (174 mm)
- Supplied in pairs of 700 mm length for vertical mounting

#### CHARACTERISTICS



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated






M1  
Fire rated



Heavy  
Duty



**700x140x76 mm**  
**700x140x174 mm**



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=2571](http://www.c-sgroup.eu/?p=2571)





## CRS100-150-200 | STAINLESS STEEL

**Heavy duty stainless steel crash rail suitable for ultra-clean environments**

- Custom, ready-to-install kit with upper and lower pre-drilled mounting strips
- 1.2 mm cover thickness
- Brushed stainless steel in food-approved quality (304L)






**3.000x200x32 mm**  
**3.000x150x32 mm**  
**3.000x100x32 mm**

### CHARACTERISTICS



### ACCESSORIES

- Closed welded end caps



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6869](http://www.c-sgroup.eu/?p=6869)

## LLRSS | STAINLESS STEEL

**Heavy duty stainless steel rail ideal for protecting large glazing, furnitures or walls**

- Stainless steel tubular rail on stainless steel brackets
- Suitable for floor or wall mounting
- Brushed stainless steel



### CHARACTERISTICS



**3.000x51x51 mm**

### ACCESSORIES

- Stainless steel mounting bracket with base plate
- Return to wall end caps
- External corners
- Internal corners
- End stops
- Splice plate



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=395](http://www.c-sgroup.eu/?p=395)



FOR MORE INFORMATION PLEASE SCAN:



CRS100-150-200



LLRSS



PP76

## PP76 | STAINLESS STEEL

**Stainless steel post designed to protect features, corners and doors**

- Designed for floor mounting, with base plate cover to conceal fixings
- Brushed stainless steel



**900x200 mm,  $\varnothing$  76 mm**

### CHARACTERISTICS






Stainless Steel



100% Bacteriostatic



Heavy Duty



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=2543](http://www.c-sgroup.eu/?p=2543)

## CORNER PROTECTION | STAINLESS STEEL

**Severe duty low level stainless steel rail to protect corners from rolling loads**

- Stainless steel tubular rail on stainless steel brackets
- Brushed stainless steel
- Matching design to LLRSS

### CHARACTERISTICS




Stainless Steel






100% Bacteriostatic



Heavy Duty



**R 275 mm,  $\varnothing$  50 mm**







### 200W30 - 200W50 | EPDM RUBBER

200 mm high EPDM rubber crash rail for extreme industrial applications

- Severe duty EPDM rubber crash rail
- Suitable for interior and exterior applications
- Available in two thicknesses to suit project requirements




 **3.000x200x50 mm**  
**3.000x200x30 mm**

#### CHARACTERISTICS



#### ACCESSORIES

- Light reflective, self adhesive tape inserts



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=406](http://www.c-sgroup.eu/?p=406)

### 150W20 | EPDM RUBBER

Slim-line rubber protection with concealed fixings

- Severe duty EPDM rubber crash rail
- Snap-in cover strip to conceal fixings
- Supplied with internal aluminium strip for firmer wall fastening



 **3.000x150x20 mm**

#### CHARACTERISTICS



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=407](http://www.c-sgroup.eu/?p=407)





FOR MORE INFORMATION PLEASE SCAN:



200W30-200W50



150W20



75D-100D




60B

## 75D-100D | EPDM RUBBER

Shock absorbing rubber guards for indoor and outdoor use

- Severe duty, shock absorbing EPDM rubber guard
- Available in two sizes to suit project requirements
- Hollow design flexes under impact, absorbing the force



3.000x100x90 mm  
3.000x75x67,5 mm

### CHARACTERISTICS





EPDM Rubber



Severe Duty

### ACCESSORIES

- Rubber end plugs
- Bolt bung covers



SPECIFICATION TEXTS [www.c-sgroup.eu/?p=408](http://www.c-sgroup.eu/?p=408)

## 60B | EPDM RUBBER

Discreet B-section rubber guard for indoor and outdoor applications

- Severe duty EPDM rubber guard
- Continuous central fixing strip in anodised aluminium



3.000x60x30 mm



### CHARACTERISTICS




EPDM Rubber



Heavy duty



SPECIFICATION TEXTS [www.c-sgroup.eu/?p=410](http://www.c-sgroup.eu/?p=410)



### Integrated shock absorbers for superior impact protection

> Most common crash rails don't have shock absorbers and transfer the force of impacts right onto the wall, causing fixtures to weaken and eventually break. **Only Acrovyn® handrails - crash rails sport integrated shock absorbers** which reliably disperse and dissipate the energy of impacts.


- 1 | HRB20 dual-colour Handrail- crash rail
- 2 | 2 mm Acrovyn® wall protection sheet
- 3 | SO50 corner guard

*suggested application*

# Engineered for performance and good looks

## Trend setting aesthetics, unbeatable functionality

Our hand/crash rails have set the standards by which all others are judged. Carefully engineered to neutralize impacts rather than transferring them onto the wall, they will keep your premises in flawless conditions.



HANDRAILS-CRASHRAILS




### Install or remove in half the time with Quick Install®


**STEP 1:** Quick Install® brackets are fixed onto the wall at appropriate heights.

**STEP 2:** Simply place handrail assembly over the Quick Install® bracket.

**STEP 3:** One quarter turn with supplied wrench to lock handrail in place.







↑ For this hospital the **HRB20** profile had been chosen to offer handrail support to patients while protecting walls from impacts.





← | **HRB20 hand/crash rail**  
contrasts with the wall colour.

↓ | **HRB4C** profiles in matching  
wall colour mounted on half  
height **Acrovyn® sheet** form  
a clean and unobtrusive wall  
protection.



← | The handrail profile of the  
**HRB20 handrail-crash rail**  
can be chosen in contrasting  
colours, wood or metal  
textures to create fashionable  
duo-colour combinations.


Stylish **HRB35** and matching →  
half-height **Acrovyn® sheet**  
combine into a contemporary  
wall protection assembly.




## HRB20 | ACROVYN®

### Stylish and hard wearing handrail-crash rail combo for high traffic circulation routes

- Beautiful colour combinations can be used to provide visual contrast and for colour guidance schemes in hospitals
- Oval Acrovyn® handrail for 335° grip surface and Acrovyn® crash rail over continuous aluminium retainer
- Shock-absorbing bumper cushion for increased impact protection
- Easy and fast to install thanks to its Quick Install® fixture system





 **4.000x143x38 mm**

#### CHARACTERISTICS

#### ACCESSORIES

- Mounting brackets
- Standard end cap
- External and special corners
- Splice plate
- Removable kit for service duct
- Quick Install® spanners



 **SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=134](http://www.c-sgroup.eu/?p=134)

## HRB20 | FAUX WOOD, BRUSHED METAL AND CARBON

### Stylish and hard wearing handrail -crash rail combo for high traffic circulation routes

- Beautiful colour combinations can be used to provide visual contrast and for colour guidance schemes in hospitals
- Oval Acrovyn® handrail for 335° grip surface and Acrovyn® crash rail over continuous aluminium retainer
- Shock-absorbing bumper cushion for increased impact protection
- Easy and fast to install thanks to its Quick Install® fixture system





 **4.000x143x38 mm**

#### CHARACTERISTICS

#### ACCESSORIES

- Mounting brackets
- Standard end cap
- External and special corners
- Splice plate
- Removable kit for service duct
- Quick Install® spanners



 **SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=134](http://www.c-sgroup.eu/?p=134)





HRB20



HRB4C



HRB35

## HRB4C | ACROVYN®

### Effective handrail - bumper guard with a fluid minimalist design

- Single piece Acrovyn® cover over continuous aluminium retainer
- Free-floating design flexes on impact, neutralising the force
- Shock-absorbing bumper cushion for increased impact protection





4.000x140x38 mm

#### CHARACTERISTICS

#### ACCESSORIES

- Mounting brackets
- Standard end cap
- External and special corners
- Internal and special corners
- Splice plate




SPECIFICATION TEXTS [www.c-sgroup.eu/?p=371](http://www.c-sgroup.eu/?p=371)

## HRB35 | ACROVYN®

### Sleek and stylish handrail - crash rail combo

- Oval Acrovyn® handrail for 335° grip surface
- Acrovyn® crash rail cover over continuous aluminium retainer
- Free-floating design flexes on impact, neutralising the force
- Easy and fast installation thanks to its Quick Install® fixture system





4.000x89x38 mm

#### CHARACTERISTICS

#### ACCESSORIES

- Mounting brackets
- Standard end cap
- External and special corners
- Splice plate
- Removable kit for service duct
- Quick Install® spanners




SPECIFICATION TEXTS [www.c-sgroup.eu/?p=6865](http://www.c-sgroup.eu/?p=6865)



**Stunning colours and textures to turn functional handrails into interior design elements**

> **What is your flavour?** 40 contemporary colours and 11 wood and metal finishes will give you a handrail system that offers appealing looks and great support.



- 1 | MCE 40/45 Faux Wood handrail
- 2 | Half height Acrovyn® wall protection sheet

*suggested application*

# A firm grip with a comfortable touch and feel

## Superior ergonomic engineering with all the properties of CS Acrovyn®



Our range of handrails have been developed by ergo-therapeutic specialists to find just the right size, shape and design in order to provide people with reduced mobility with the most comfortable grip and best possible support.

Another unique feature brought to you exclusively by CS are our Acrovyn® Bactericide handrails: they pro-actively kill germs settled on their surface, helping to combat nosocomial infections.

*For more information on Acrovyn® Bactericide please consult page 26.*



### Engineered for maximum comfort and safety

> For perfect accessibility, our handrails adjust to every type of corner allowing to create continuous, uninterrupted support systems. Our fixing brackets have been designed to let hands comfortably slide past them in order to provide continuous, safe support all along.






Hospital corridor | →  
with **HRO6 Faux Wood handrails** and matching **Faux Wood Acrovyn®** protection sheets.



← | **Acrovyn® Bactericide MCE 40/45 handrail** with matching **Aronde 170 crash rail**.



← A stylish combination of **MCW40/45** solid beech and **MCE40/45** Aluminium handrails.



↑ Hydrotherapy pool with **MCE40/45 Faux Carbon** handrail.

← Geriatric residence equipped with **MCE 40/45 Bactericide** handrails with aluminium fixing brackets.



**HRO6** handrails with | → stainless steel fixing brackets in hospital hall and half-height **Acrovyn®** wall protection sheets.

### MCE40/45 | ACROVYN® BACTERICIDE

#### The only handrail that pro-actively kills bacteria

- The only handrail in the market with "Bactericide" certification (test reports upon request)
- Its ergonomic design allows for a firm grip while the hand can slide comfortably past the fixing brackets without touching them
- Handrail can be installed to curved walls (minimum radius 1 m)

#### CHARACTERISTICS



Acrovyn® Colours



Acrovyn® Bactericide



B-s2,d0 Fire rated




M1 Fire rated



Medium Duty


4.000x40x40 mm

WORLD NOVELTY



#### ACCESSORIES

- Aluminium mounting brackets
- Stainless steel mounting brackets
- Acrovyn® mounting brackets in Snow White 9003 or Dove Grey 24
- Standard end caps and end stops
- External, internal, universal corners
- Support plug for end cap
- Removable kit for service duct
- Universal corner adaptor for stairs
- Decorative rings in black
- Splice plate



FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6851](http://www.c-sgroup.eu/?p=6851)

### MCE40/45 | ACROVYN® FAUX WOOD

#### The warm look and feel of wood with the ruggedness and ease of maintenance of CS Acrovyn®

- Acrovyn® Faux Wood cover mounted over a continuous aluminium retainer for extra stability and sure grip
- Handrail can be installed to curved walls (minimum radius 1 m)

#### CHARACTERISTICS



Faux Wood



100% Bacteriostatic



B-s2,d0 Fire rated



M1 Fire rated




Medium Duty

**4.000x40x40 mm**

#### ACCESSORIES

- Aluminium mounting brackets
- Stainless Steel mounting brackets
- Standard end caps and end stops
- External, internal and universal corners
- Support plug for end cap
- Removable kit for service duct
- Universal corner adaptor for stairs
- Decorative rings in grey
- Splice plate



FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**



**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6853](http://www.c-sgroup.eu/?p=6853)





FOR MORE INFORMATION PLEASE SCAN:



MCE40/45 BACTERICIDE



MCE40/45 FAUX WOOD-METAL



MCE 40/45 ALU

## MCE40/45 | FAUX BRUSHED METAL AND CARBON

The cool and elegant look of metal with the warm and sure grip of CS Acrovyn®

- Acrovyn® Faux Metal cover mounted over a continuous aluminium retainer for extra stability and sure grip
- Handrail can be installed to curved walls (minimum radius 1 m)

### CHARACTERISTICS



Faux brushed Metal



Faux Carbon



100% Bacteriostatic




B-s2,d0 Fire rated



M1 Fire rated




Medium Duty



4.000x40x40 mm

### ACCESSORIES

- Aluminium mounting brackets
- Stainless Steel mounting brackets
- Standard end caps and end stops
- External, internal and universal corners
- Support plug for end cap
- Removable kit for service duct
- Universal corner adaptor for stairs
- Decorative rings in black
- Splice plate



FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**



SPECIFICATION TEXTS [www.c-sgroup.eu/?p=6853](http://www.c-sgroup.eu/?p=6853)

## MCE 40/45 | ALUMINIUM

Real aluminium handrail never goes out of style

- Rugged aluminium profile with highest quality anodisation
- Infill strip closes off retainer groove providing a continuous 'easy clean' surface
- Handrail profile can be curved


### CHARACTERISTICS



Anodised Aluminium




Medium Duty




4.000x40x40 mm

### ACCESSORIES

- Aluminium and Inox mounting brackets
- 32 mm Alu bracket for curved handrails
- Standard end cap
- Support plug for end cap
- External/Internal/universal corners
- Universal corner adaptor for stairs
- Removable kit for service duct
- Decorative rings in black
- Splice plate



FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**




SPECIFICATION TEXTS [www.c-sgroup.eu/?p=6855](http://www.c-sgroup.eu/?p=6855)

### FIXING BRACKET OPTIONS


Stylish and versatile fixing bracket options for the perfect handrail finish

- Our fixing brackets have been designed to let hands pass by with ease. They offer ruggedness and a perfect handrail finish



#### FIXING BRACKETS FOR THE MCE40/45 HANDRAIL



##### MCE40/45 anodised Aluminium mounting bracket



Stylish fixing bracket in aluminium with a high quality anodised finish.

▲ | 54,5x78x80 mm


##### MCE40/45 anodised Aluminium ECO mounting bracket



Sturdy aluminium bracket for projects on a tight budget. Excellent cost to quality ratio.

▲ | 66,5x78,5x60 mm


##### MCE40/45 Acrovyn® mounting bracket



Acrovyn® fixing bracket available in Snow White (9003) and Dove Grey (24).

▲ | 95x86,5x80 mm

##### MCE40/45 Stainless Steel mounting bracket




Elegant bracket in polished stainless steel with snap-on cover to conceal screw fixings.

▲ | 107x75,4x64,7 mm

#### FIXING BRACKETS FOR THE HRO6 HANDRAIL


##### HRO6 Aluminium mounting bracket



Stylish fixing bracket in aluminium with a high quality anodised finish.

▲ | 54x63x80 mm

##### HRO6 Stainless Steel mounting bracket



Elegant bracket in polished stainless steel with snap-on cover to conceal screw fixings.

▲ | 100,8x75,4x64,7 mm


# UNIVERSAL CORNER ADAPTOR FOR STAIRS

NEW

## Building continuous handrail systems made easy

- One adaptor fits all situations. Rotation around two axes allows the adaptor to accommodate any required angle and staircase configuration
- Makes it easy to build continuous handrail systems

41x41x145 mm



### CHARACTERISTICS



40  
Acrovyn®  
Colours






100%  
Bacteriostatic



M1  
Fire rated



Medium  
Duty



Continuous handrail systems that connect staircase with floor level handrails can be built effortlessly with the universal angle adaptor

### REQUIREMENTS FOR STAIRCASES OF PUBLIC PREMISES

Staircases in premises open to the public must be equipped with handrails on each side.


The handrail systems must be compliant with the following requirements:

- Installation at a height



of 0,80 m to 1,00 m.

- The handrail must be extended on each flight beyond the first and last step for the length of at least one tread.
- The handrail must be continuous, rigid and allow for an easy grip.





## HRO6 | ACROVYN®

**An ergonomic handrail developed by ergo-therapists for geriatric applications**

- This handrail has been especially developed by ergotherapists specialising in geriatrics. Its ergonomic, oval shape provides elderly people with a sure grip and firm support
- The interior aluminium retainer adds extra stability

### CHARACTERISTICS



40  
Acrovyn®  
Colours



100%  
Bacteriostatic




B-s2,d0  
Fire rated



M1  
Fire rated




Medium  
Duty



**4.000x38x30 mm**

### ACCESSORIES

- Aluminium mounting brackets
- Stainless steel mounting brackets
- Standard end cap
- External/Internal/Special corners
- End stops
- Splice plate
- Removable kit for service duct
- Decorative rings in black



Aluminium  
mounting bracket

Stainless steel  
mounting bracket

FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**

**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6847](http://www.c-sgroup.eu/?p=6847)

## HRO6 | FAUX WOOD, BRUSHED METAL AND CARBON

**A sleek handrail with the looks of wood or metal but all the benefits of CS Acrovyn®**

- Acrovyn® Faux Wood or Metal cover mounted over a continuous aluminium retainer. Developed by ergotherapists to provide elderly people with a sure grip and firm support
- The interior aluminium retainer adds extra stability

### CHARACTERISTICS



8  
Faux  
Wood



Faux brushed  
Metal



Faux  
Carbon




100%  
Bacteriostatic



Medium  
Duty




M1  
Fire rated



**4.000x38x30 mm**

### ACCESSORIES

- Aluminium mounting brackets
- Stainless steel mounting brackets
- Standard end cap
- External, standard and special corners
- End stops
- Splice plate
- Removable kit for service duct
- Decorative rings in black



Aluminium  
mounting bracket

Stainless steel  
mounting bracket

FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**

**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6847](http://www.c-sgroup.eu/?p=6847)



FOR MORE INFORMATION PLEASE SCAN:



HR06



MCW40/45



VISION

## MCW40/45 | SOLID BEECH

### The soothing touch of real wood

- Untreated timber handrail in solid beech for on-site assembly, delivered in standard length of 2000 mm
- Premium quality timber, steamed for extra stability and durability
- Custom size, ready-to-install handrail kits are available upon request in three varnish colours (Mahogany, Golden Oak or Walnut)



**2.000x40x40 mm**

#### CHARACTERISTICS




Solid Beech



Medium Duty


#### ACCESSORIES

- Stainless steel mounting brackets
- Standard end cap
- Stainless steel end cap
- External/Internal corners
- Round end stop
- Removable kit for service duct



Stainless steel mounting bracket

FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**




**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6857](http://www.c-sgroup.eu/?p=6857)

## VISION | TRANSPARENT POLYCARBONATE

### Futuristic transparent looks with all the features of a top grade handrail

- Extruded, highly resistant polycarbonate offering a warm and pleasant touch with an excellent grip
- Available in five transparent colours
- Allows for eye-catching interior LED illumination



**4.000x40x40 mm**

#### CHARACTERISTICS



5  
Transparent Colour




Medium Duty



M1  
Fire rated

#### ACCESSORIES

- Polished aluminium mounting brackets
- Standard end special end caps
- External/Internal corners
- Splice plate
- Removable kit for service duct



Aluminium mounting bracket

FOR MORE INFORMATION ON MOUNTING BRACKETS PLEASE SEE **page 68**




**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=6859](http://www.c-sgroup.eu/?p=6859)



- 1 | SCR50 Crash rail
- 2 | 2 mm Acrovyn® door kick plate
- 3 | SSM 20 Faux Wood corner guard

*suggested application*



### Bacteria love damaged corners

> Damaged corners are not just ugly but also **ideal breeding grounds for bacteria**. Acrovyn® corner guards provide superior shock absorbing action keeping your corners intact, hygienic and maintenance free.



# Reliable, long lasting protection for all types of corners



## CS Acrovyn® protects corners with refreshing style


There are few architectural elements of busy hospital areas more prone to impact damage than columns and corners.

The heavy duty impact resistance of Acrovyn® corner guards, available in 51 colours and textures, will protect your corners from crumbling and keep your premises in flawless conditions with refreshing style.


## A corner guard for every design need



Available in all Acrovyn® colours independent of the fixing method (screw or glue fixed).



Reliable protection for non-standard corners of up to 175°, either screw or glue fixed.



Industrial grade protection in EPDM rubber for logistics areas or loading bays. Stainless steel corner guards are ideal for industrial kitchen areas.

# 20x

**20x more resistant than real wood**

> Acrovyn® Faux Wood looks like real wood but is as a matter of fact **20 times more resistant than solid timber**. Now you can prevent the damage to corners with trend setting style and without the maintenance cost of real timber.



Snow white **SM20** corner guards and **SCR50** crash rails set decorative accents on a green wall.

↓ Half-height **SSM20** corner guard in combination with handrail **HRB20** and low level crash rail **SCR50**.



Full height **SM20M** corner guard protects this non-standard corridor corner.

Full height **SO75** protects corners and gives a perfect finish to **Acrovyn**<sup>®</sup> wall protection sheets.





Walls are protected with half-height **SSM20 corner guards** and matching **SCR80 crash rails**, for doors **TP200 rub rails** had been chosen.





## SM20 | ACROVYN®



**Shock absorbing CS Acrovyn® cover with rugged retainer for heavily abused corners**

- Extra wide, shock absorbing Acrovyn® cover over continuous, surface mounted aluminium retainer
- Free floating cover flexes upon impact, neutralising the shock force and protecting the wall from damage

 **3.000x76x76 mm**

 **ACCESSORIES**

- Top and bottom end caps



 **CHARACTERISTICS**



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated



M1  
Fire rated



Heavy  
Duty

 **SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=8489](http://www.c-sgroup.eu/?p=8489)

## SSM20 | ACROVYN®



**Heavy duty corner protection but more discreet than SM20**

- Shock absorbing Acrovyn® cover over continuous, surface mounted aluminium retainer
- Free floating cover flexes upon impact, neutralising the shock force and protecting the wall from damage

 **3000x51x51 mm**

 **ACCESSORIES**

- Top and bottom end caps



 **CHARACTERISTICS**



40  
Acrovyn®  
Colours



100%  
Bacteriostatic



B-s2,d0  
Fire rated



M1  
Fire rated



Heavy  
Duty

 **SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=398](http://www.c-sgroup.eu/?p=398)



FOR MORE INFORMATION PLEASE SCAN:



SM20



SSM20

## SSM20 | FAUX WOOD, BRUSHED METAL AND CARBON



### Natural looks, top grade protection

- Shock absorbing Acrovyn® cover over continuous, surface mounted aluminium retainer
- Designs with natural looks thanks to Acrovyn® Faux Wood or Metal finishes
- Free floating cover flexes upon impact, neutralising the shock force and protecting the wall from damage

**3000x51x51 mm**

**ACCESSORIES**

- Top and bottom end caps



### CHARACTERISTICS

Faux brushed Metal

Faux Carbon

Faux Wood

100% Bacteriostatic

M1 Fire rated

Heavy Duty

**SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=398](http://www.c-sgroup.eu/?p=398)

## SM20M | ACROVYN®



### Heavy duty guards for non standard corners

- Shock absorbing Acrovyn® cover clipped over two continuous, surface mounted aluminium retainer profiles
- The co-extruded Acrovyn® cover sports a flexible centre to allow for corner angles of 100 to 175°

**3.000x76x76 mm**

**ACCESSORIES**

- Top and bottom end caps only available in 135°



### CHARACTERISTICS

40 Acrovyn® Colours

100% Bacteriostatic

B-s2,d0 Fire rated

M1 Fire rated

Heavy Duty




### S030-50-75 | ACROVYN®

#### Sleek stick-on corner guard in legendary CS Acrovyn®


- Available in three sizes to suit most project requirements
- Can be installed with construction adhesive or factory applied self adhesive tape (optional)



 **3.000x75x75 mm**  
**3.000x50x50 mm**  
**3.000x30x30 mm**

#### OPTIONS

- Factory applied self adhesive tape
- Top bevel cut



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=8495](http://www.c-sgroup.eu/?p=8495)



#### CHARACTERISTICS



### S050 | FAUX WOOD, BRUSHED METAL AND CARBON


#### Natural looks, tough as nails CS Acrovyn®

- Can be installed with construction adhesive or factory applied self adhesive tape (optional)

 **3.000x50x50 mm**

#### OPTIONS

- Factory applied self adhesive tape
- Top bevel cut



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=8495](http://www.c-sgroup.eu/?p=8495)



#### CHARACTERISTICS







FOR MORE INFORMATION PLEASE SCAN:



SO30-50-75



SO50V

## SO50V | ACROVYN®

### Reliable protection for non standard corners



- A co-extruded flexible centre allows this corner guard to adjust easily to any angle from 80 to 180°
- Can be installed with construction adhesive or factory applied self adhesive tape (optional)

 **3.000x50x50 mm**



 **OPTIONS**

- Factory applied self adhesive tape
- Top bevel cut



 **CHARACTERISTICS**



Acrovyn® Colours



100% Bacteriostatic



B-s2,d0 Fire rated



M1 Fire rated




Medium duty

 **SPECIFICATION TEXTS** [www.c-sgroup.eu/?p=3382](http://www.c-sgroup.eu/?p=3382)


## BEVEL CUT OPTION

### Bevel option for the SO corner guard range


- All SO corner guards can be delivered upon request with one of our standard bevel cuts: half moon or soft top




SO30 soft top




SO30 half moon




SO50 soft top



SO50 half moon



SO75 soft top



SO75 half moon





30A / 40A / 50A




75C / 100C


## 30A / 40A / 50A | STAINLESS STEEL

### Food industry approved stainless steel corner guards


- 1 mm thick, food-approved, brushed stainless steel (304 L)
- Available in three sizes to suit most common project requirements
- Can be screw fastened or fixed with construction adhesive



 **3.000x30x30 mm**  
**3.000x40x40 mm**  
**3.000x50x50 mm**



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=8505](http://www.c-sgroup.eu/?p=8505)



#### CHARACTERISTICS





## 75C / 100C | EPDM RUBBER

### Industrial grade EPDM rubber corner guards for indoor/ outdoor applications

- Industrial grade EPDM rubber corner guards, available in 75mm and 100mm sizes
- Can be screw fastened or fixed with neoprene adhesive



 **3.000x75x75 mm**  
**3.000x100x100 mm**



 SPECIFICATION TEXTS [www.c-sgroup.eu/?p=411](http://www.c-sgroup.eu/?p=411)



#### CHARACTERISTICS



## UNIQUE FACTORY SERVICES **ONLY CS** WILL OFFER.



### FACTORY CUTTING

We can deliver our products cut to custom lengths **to spare you on-site cutting** and allow for faster installations.

- Tolerances +/- 2 mm



### EXTRUSION TO CUSTOM LENGTHS

**Our extrusion lines at your service.** We can extrude our products to lengths of your choice in order to minimise cutting waste.

Minimum order of 150 meters per product – 4-5 weeks delivery  
Gross manufacturing tolerances (20 to 40 mm extra length).



### PRE-ASSEMBLY

**We do the assembly so you don't have to.** We can deliver "ready to install" handrail assemblies to allow for speedy installations:

- Fast, clean and effortless installations
- No on-site cutting
- Fewer installation personnel needed

## COUNT ON **TRUE EXPERTS** FOR YOUR PROJECTS.



### A TRUE EXPERT ON YOUR SIDE

**Our expertise at your service.** All of our sales technicians have many years of practical experience and will accompany you on-site to advise on product choices and address all your technical questions.



### YOUR PERSONAL SALES ENGINEER

**One expert contact.** A personally assigned sales technician with direct email and telephone contact will stand by your side to help you with product choices, technical questions and other nitty-gritty details of your project.

## EXCLUSIVE FEATURES TO ASSIST WITH **PRODUCT CHOICE**.



### SWATCHES AND SAMPLES

**See the real thing before ordering.** Your personal sales technician will gladly supply you with colour swatches and product samples to help you make the perfect choice.



### SPECIFICATION TEXTS

**Need help with specification?** Detailed specification texts for all our products are available in paper format or via email from your personal sales technician or can be downloaded from our website.



### COLOUR MATCHING SERVICE


**What's the perfect match?** Colour matching can be a science of its own. Our colourists happily share their professional experience to help you make the perfect choice.





- 1 | Supertrak® Plus 90° Bend module
- 2 | Supertrak® Plus Rod Suspenders
- 3 | Supertrak® Plus rail
- 4 | Supertrak® Plus curtain
- 5 | Bed Locator HRB4C/169
- 6 | Crash Rail SCR80
- 7 | Corner guard SO75

*suggested application*



**Premium quality system modules for fast and effortless track assembly**

> For a full guide to all system modules please request our catalogue.




# The industry standard for high quality curtain track systems



## A cubicle track system for every type of application

Supertrak® Plus cubicle curtain systems provide an easy to install and cost-effective partitioning method in multi-bed hospital wards, which helps to offer privacy to patients and staff.

Supertrak® Plus is manufactured from high quality aluminium extrusion combining a totally rigid structure with the flexibility of configuration to meet individual requirements. It has been used in hospitals and health centres throughout the world for over 40 years.



### One system for infinite configurations

> **What configuration do you need?** Supertrak® Plus is a set of highly flexible system modules which can be assembled to a multitude of configurations to suit your exact project requirements.



### Powder coat finish to match your interiors

> The powder coat finish of the track is aesthetically pleasing and easy to clean. The system is offered in two standard colours (Window Grey 7040 and Signal White 9003). To suit project requirements it can also be ordered in any other RAL colour (subject to quantity).



**Supertrak® Plus** | ↗  
two bed layout in combination with a cheerful curtain pattern has been used for this intensive care twin room.



↑ **Supertrak® Plus** cubicle tracks provide both privacy and unhindered access to the boxes of this emergency ward

**Supertrak® Plus** two bed layouts offer privacy to this examination area, still allowing freedom of movement of hospital equipment or unhindered cleaning.







A practical curtain track | ↑  
with a 90° bend separates  
the examination area of a  
Doctor's office.



A basic curtain rail | →  
allows for instant  
privacy to this  
highly frequented  
examination box.





## Colour sample service

This document doesn't guarantee the true reproduction of colours and is meant for guidance purposes only. It is recommended to choose from real product samples.

Please contact our Customer Services Department or local distributor.



## COLOUR RANGE, TEXTURED ▼


*The most extensive range of vivid colours for mood-lifting environments*

Our range of bright and saturated colours has been **updated with 12 new colours** and has become **the most extensive collection on the market**. They are ideal for **dynamic and mood-lifting** environments and help with providing guidance throughout the building.

## SMOOTH ▼

**A smooth finish for maximum hygiene**

Acrovyn® wall protection sheets with a smooth surface finish are available for applications where the **ease of cleaning and hygiene** are an absolute priority. Its cleaning efficiency has been **certified by the renowned Louis Pasteur Institute**.



Subject to minimum quantities we can produce your custom colours.



## FAUX METAL

*The looks of metal with the unique properties of CS Acrovyn®*


Our Faux Metal collection has the **stylish appeal of real metal** but the warm touch and unique properties of Acrovyn® protecting from the rigours of day to day wear and tear.



► BRUSHED METAL 06



► NICKEL 80



► CARBON 07



► SNOW WHITE 9003



► MISSION WHITE 933



► CLOUD GREY 801



► FELT 7044



► IRON 7039

## NEUTRAL TONES, TEXTURED

*Soothing, low contrast colours for peaceful environments*

Inspired by nature itself, CS has created a **unique choice of soft, low contrast colours** for relaxing and peaceful environments where well-being and aesthetics are primary considerations.



► DOVE GREY 24



► PLATINUM 7036



► EGGSHELL 100



► PEARL GREY 136



► MOLE 26



► FRENCH CREAM 101



► CHARCOAL GREY 162



► MOCHA 105



► RAFFIA 1019



► GRAPHITE 7024



► EARTH 8019



► CLAY 7006

## ACROVYN® FAUX WOOD

*New contemporary wood finishes for comfortable living environments*

Includes **five brand new wood finishes** such as Wengue and four contemporary oak styles.



► WENGUE 39



► BLEACHED OAK 36



► STEAMED OAK 37



► SMOKED OAK 38



► BURNED OAK 40



► BIRCH 01



► MAPLE 02



► BEECH 03

## ACROVYN® BACTERICIDE

**Kills bacteria 100%**

Acrovyn® Bactericide relentlessly **kills bacteria settled on its surface** helping to combat nosocomial infections. Ideal for wall and handrail applications in health environments.



► SNOW WHITE SMOOTH 9003



► SNOW WHITE 9003



► EGGSHELL 100



► FRENCH CREAM 101



► DOVE GREY 24



► AQUA BLUE 11





WALL, CORNER AND DOOR PROTECTION

ARCHITECTURAL SOLUTIONS WORLDWIDE



**CS** Acrovyn®

WALL, CORNER AND  
DOOR PROTECTION



**CS** Couvraneuf®

EXPANSION JOINT  
COVER SYSTEMS



**CS** Pedisystems®

ENTRANCE FLOORING  
SYSTEMS




**CS** Airfoil®

SUN CONTROL AND  
SHADING SYSTEMS




**CS** Dexpale®

DISPLAY PANELS FOR  
LIGHTING PRODUCTS



**CS** Elimax®

DEMOUNTABLE  
PARTITIONS



**CS** Louvers®

LOUVERS AND  
VENTILATION GRILLES

© Construction Specialties, 2018. All rights reserved.  
This document voids and replaces all earlier versions. V40.



135, Rue Edouard Isambard | B.P. 66 | 27120 PACY/EURE | FRANCE  
+33 2 32 67 00 00  
+33 2 32 67 14 12  
information@c-sgroup.com  
www.c-sgroup.eu

